

MICHIGAN DEPARTMENT OF HEALTH & HUMAN SERVICES

House Families, Children & Seniors Committee October 23, 2019


Objectives

- Overview of Infant Safe Sleep
 - ✓ History of Sleep-Related Infant Death
 - ✓ History of the Infant Safe Sleep Recommendations
 - Current Data
- ➤ Review 2016 American Academy of Pediatrics (AAP) recommendations for infant safe sleep
- Provide an overview of the Infant Safe Sleep Program activities and resource materials

History of Sleep-Related Infant Death

- > Sleep-related infant death is not a new issue.
- Historically mothers whose babies died were criminalized, 14th -18th centuries
- ➤ 1944, Dr Harold Abramson, NYC Committee on Infant Mortality
 - Analyzed infant deaths that he attributed to accidental suffocation over four-year time span

National trends in sudden unexpected infant death (SUID) by cause, 1990-2016



Terms


<u>Sudden Unexpected Infant Death (SUID)</u>: The sudden and unexpected death of a baby less than 1 year old in which the cause was not obvious before investigation

<u>Sleep-related infant death:</u> Death of an infant wherein the sleep environment was likely to have contributed, including those ruled Sudden Infant Death Syndrome (SIDS), SUID, suffocation, and other causes

Suffocation is the most common cause of sleep-related infant death, followed by undetermined, SIDS, and other. Source: Centers for Disease Control and Prevention (CDC) SUID Case Registry, Michigan

Public Health Institute, 2019

SUID Rates by State, 2013-2017



How many babies are dying in Michigan?

From 2010-2017, 1,136

babies in Michigan died in unsafe sleep environments.


Most of these deaths were preventable.

Source: CDC SUID Case Registry - 2010 to 2017, Michigan Public Health Institute, 2019

How many babies are dying?

Every 2-3 days in Michigan a baby dies because of an unsafe sleep environment.

Unacceptable racial disparity



^{*}Other includes American Indian, Asian, Pacific Islander, and multi-racial infants

American Academy of Pediatrics (AAP) Recommendations

October 2016, AAP released the Policy Statement: SIDS and Other Sleep-Related Infant Deaths: Updated 2016 Recommendations for a Safe Infant Sleeping Environment

<u>AAP Policy Statement</u> <u>http://pediatrics.aappublications.org/content/138/5/e201629</u> <u>38</u>

AAP Technical Report http://pediatrics.aappublications.org/content/early/2016/10/20/peds.2016-2940

BABY SLEEPS IN CRIB ON BACK



NO CLUTTER IN THE BABY'S SLEEP SPACE



ROOM SHARE



SUPPORT BREASTFEEDING

Inclined sleepers are not safe for sleep

"The Consumer **Product Safety** Commission has received reports of at least 30 deaths and more than 700 injuries since 2005 in connection with these inclined sleepers..."

From the Wall Street Journal (wsj.com), Nov. 23, 2018

Infant-Sleep Deaths in Focus in Fight Over Role of Consumer-Safety Agency

Inclined sleepers like the Fisher-Price Rock 'n Play have been involved in at least 30 deaths reported to the Consumer Product Safety Commission since 2005



"Because they're sold, people assume they're safe and the fact is they're not."

Dr. Ben Hoffman, Chair, AAP Council on Injury, Violence and Poison

Prevention

Mother Infant Health & Equity Improvement Plan (MIHEIP)

Vision: Zero preventable deaths. Zero health disparities.

Six Priority Areas:

- 1. Health Equity
- 2. Healthy Girls, Women & Mothers
- 3. Optimal Birth Spacing & Intended Pregnancies
- 4. Full Term, Healthy Weight Babies
- 5. Infants Safely Sleeping
- 6. Mental, Emotional & Behavioral Well-Being

www.Michigan.gov/MIHEIP







2020-2023

TOGETHER, SAVING LIVES

Strategic Vision

Zero preventable deaths

Zero health disparities





Six Priority Areas














Health Equity Healthy Girls, Women & Mothers

Optimal Birth
Spacing &
Intended
Pregnancies

Full Term, Healthy Weight Babies Infants Safely Sleeping Mental, Emotional & Behavioral Well-Being




Regional Perinatal Quality Collaboratives (RPQCs)



- Backbone organizations of the MIHEIP.
- Nine RPQCs, representing every Prosperity Region in Michigan.
- Each RPQC convenes regular meetings with diverse stakeholders to address each region's largest concerns with individualized attention.





Call to Action

What you can do



Sign up for the MIHEIP newsletter



Connect with your RPQC

Attend a Mother Infant Health and Equity Collaborative (MIHEC) Meeting Ann Arbor, Michigan

Save the Date:
Maternal Infant Health Summit 2020
Lansing, Michigan

www.Michigan.gov/MIHEIP



Infant Safe Sleep Program

> \$450,000 to fund local entities for safe sleep promotion


and outreach:

- √ 15 local health departments, in areas with the greatest number of sleep-related deaths
- ✓ Inter-Tribal Council of Michigan
- In FY 18, they:
 - ✓ Distributed over 500 pack n plays
 - ✓ Distributed over 1,100 sleep sacks
 - Educated nearly 18,000 parents, other caregivers and professionals at trainings and community events



Infant Safe Sleep Program

- Created the Infant Safe Sleep Resource Book
 - ✓ Distributed over 3,000



Infant Safe Sleep Program In-Person Trainings

- ✓ Infant Safe Sleep: The Basics and Beyond
 - For hospital staff
 - Nearly 800 nurses and other hospital staff trained
 - 20 hospitals reached
- ✓ Helping Families Practice Safe Sleep ("201" training)
 - Considered an advanced training for professionals working with clients on a one-on-one basis
 - Nearly 650 professionals trained



Infant Safe Sleep Program Online Trainings and Webinars

- √ Three online trainings for professionals and child care providers
 - Over 7,100 trained
- ✓ Quarterly Infant Safe Sleep Webinars
 - Nearly 500 trained





Infant Safe Sleep Resource Materials

✓ Infant Safe Sleep Brochures, Posters, Decals and Other

Resources

 Over 300,000 materials distributed annually





Infant Safe Sleep Program



Colleen Nelson, LMSW
MDHHS
Infant Safe Sleep Program
Coordinator
nelsonc7@michigan.gov
517-335-1954



Patti Kelly, LMSW, MPH
MDHHS
Infant Safe Sleep Program
Consultant
kellyp2@michigan.gov
517-335-5911