
## Public Health Issues Associated with Septic Tanks

Professor Joan B. Rose rosejo@msu.edu
Homer Nowlin Chair





# Septic Tanks as Sources of Human Viral Pathogens



#### **Environmental Health-Related Viruses Infecting Humans**

Adenovirus

Coxsackievirus

**Echovirus** 

Enteroviruses

Hepatitis A and E

**Norovirus** 

**Poliovirus** 

Rotavirus




Bacteriophage are viruses that infect bacteria, associated with moving virulence; antibiotic resistance genes, controlling bacterial populations

OVER 100 different viruses are found in sewage: Adenoviruses, respiratory and enteric viruses, higher numbers, greater resistance to wastewater treatment. Coxsackie viruses cause myocarditis and viral meningitis. Identification of cancer causing viruses (Polyomaviruses) in Wastwater.

#### Viruses

- Extremely small biological nano particles
- Persistent
- Excreted in high concentrations
- Obligate parasites, need a host to replicate
- Generally very host-specific
- Simple structure, RNA or DNA, surrounded by protein coat and some containing lipids and other glycoproteins.



# Studies in Wisconsin have shown statistical Association between diarrhea in children and Virus infection and Septic tank density.


- No evidence of well contamination based on coliforms indicators
- Virus infections associated in a 640-acre section
- Bacterial infections in a 40-acre section.
- Unknown infections associated with Enterococci contamination

Borchardt et al. May 2003 Envir. Hlth Perspec vol 111

#### Wastewater

in Michigan Approximately 30 percent of

Michiganders are on septic



**Septic system density** 

#### Aging, failing septic systems polluting Michigan waters, harming public health



**Keith Matheny** 

Detroit Free Press

Published 6:30 a.m. ET Oct. 14, 2021 | Updated 4:32 p.m. ET Oct. 16, 2021

As Susan Daly closed in on purchasing her next home earlier this summer -acottage on a hill built in the 1920s in Oakland County's Highland Township — a home inspector's discovery of an unusual pipe configuration turned what is often a routine home inspection at property closing time into an examination of the home's septic system.


The Michigan Department of Environment, Great Lakes and Energy (EGLE) estimates that about 10% of the state's septic systems are failing, releasing bacterial pathogens and unwanted chemicals into groundwater and surface water — 31 million gallons of raw sewage per day. Oct 14, 2021

#### Large Landscape Assessment using Human Fecal Source Tracking Marker


Baseflow (October 2010)
Spring thaw (March 2011)
Early summer rain (June 2011)

**64** River systems


84% Lower Peninsula drainage area



- Increasing B. theta related to more septic tanks
- More E.coli related to more total phosphorous and increasing stream temperature



## Finding: The distribution of the human sewage marker *Bacteroides*



Verhougstraete, M.P., Martin, S.L., Kendall, A.D., Hyndman, D.W. and Rose, J.B. 2015 Linking Fecal Bacteria in Rivers to Landscape, Geochemical, and Hydrologic Factors and Sources at The Basin Scale. *Proceedings of the National Academy of Sciences*. www.pnas.org/cgi/doi/10.1073/pnas.1415836112, pages1-6.

#### What did we learn?

- New microbial source-tracking tools elucidate important nonpoint sources of water quality degradation and potential need for further investigation of human health risks at large scales
- Pollution arising from septic system discharges likely more important than previously realized
- NEED for MONITORING: Without a way to monitor our onsite wastewater systems we will not be able to protect the quality of our waters from viruses. We will not be able to know where we need to modernize our wastewater infrastructure for our rural communities.

#### Thank You!

### Any Questions??

#### **Major contributors:**

- Dr. Marc Verhougstraete,
- Dr. Sherry Martin,
- Dr. Anthony Kendall,
- Dr. David Hyndman,
- Dr. Tiong Aw,
- Dr. Matthew Flood

Michigan Corn Marketing Program



